



The First in Synthetics®

Power Foam®

Cleans Entire Combustion Intake System for Improved Engine Performance

AMSOIL Power Foam® (APF) removes gum, varnish and carbon deposits for more efficient fuel economy and improved overall engine performance. Power Foam cleans intake valves, intake manifolds and throttle plates to keep the combustion intake system running at peak efficiency. Effective in both two-cycle and four-cycle gasoline engines, AMSOIL Power Foam helps reduce engine ping and keeps carburetors and injector systems properly tuned. Power Foam is safe for fuel injectors, catalytic converters and emission control devices. It will not damage seals, gaskets, rubber or plastic materials commonly used in gasoline engines.

AMSOIL Power Foam contains a powerful foaming agent and special high-boiling solvents that penetrate rust and grease. Cuts through rust so bolts can be loosened or tightened easily. Washes clean, leaving no residue to attract dirt. Power Foam also helps reduce pollution caused by dirty, rough-running engines.



- ***Removes gum, varnish and carbon deposits***
- ***Suppresses engine ping***
- ***Cuts through rust and grease***
- ***Helps improve fuel economy***
- ***Reduces pollution***
- ***Frees stuck choke mechanisms***

DIRECTIONS – Run engine to normal operating temperature and remove air cleaner assembly. While engine is running, spray entire can of foam directly into intake. Turn off engine and allow to sit for 5-10 minutes. Restart engine and drive to blow out deposits.

RECOMMENDATIONS – Avoid contact with hoses and exterior plastic components. To prevent the dissolving of paint, do not overspray. AMSOIL Power Foam is not recommended for use in diesel engines or engines with a mass airflow sensor (MAF).

AVAILABILITY – AMSOIL Power Foam is available in 18-oz. spray cans.

AMSOIL products and Dealership information are available from your local AMSOIL Dealer.

Jeff Fisher

866-292-4700

www.SyntheticOils.us

