

Material Safety Data Sheet

Synthetic Transmission & Transaxle Gear Lube

Section 1. Product and company identification

Product name

Synthetic Transmission & Transaxle Gear Lube Material uses

Lubricating Fluid.

Supplier/Manufacturer

AMSOIL INC. 925 Tower Avenue Superior, WI 54880 Code MTG MSDS authored by AMSOIL INC. In case of emergency CHEMTREC: (800) 424-9300

Section 2. Hazards identification

Emergency overview	
Color	: Yellow.
Physical state	: Liquid. [Fluid.]
Odor	: Mild hydrocarbon.
Signal word	: WARNING!
Hazard statements	: MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE EYE AND SKIN IRRITATION. POSSIBLE DEVELOPMENTAL HAZARD - CONTAINS MATERIAL WHICH MAY CAUSE ADVERSE DEVELOPMENTAL EFFECTS, BASED ON ANIMAL DATA.
Precautions	: Avoid exposure - obtain special instructions before use. Do not breathe vapor or mist. Do not get on skin or clothing. Avoid contact with eyes. Avoid exposure during pregnancy. Wash thoroughly after handling.
OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Potential acute health effect	<u>s</u>
Inhalation	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Skin	: Slightly irritating to the skin. May cause sensitization by skin contact.
Eyes	: Slightly irritating to the eyes.
Potential chronic health effe	ects
Chronic effects	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: Contains material which may cause developmental abnormalities, based on animal data.
Fertility effects	: No known significant effects or critical hazards.
Over-exposure signs/symp	toms
Inhalation	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths

Ingestion	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths
Skin	: Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths
Eyes	: Adverse symptoms may include the following: irritation watering redness reduced fetal weight increase in fetal deaths
Medical conditions aggravated by over- exposure	: Pre-existing skin disorders may be aggravated by over-exposure to this product.
See toxicological information (Sect	tion 11)

Section 3. Composition/information on ingredients

United States		
Name	CAS number	<mark>%</mark>
LZ8420	Trade Secret	30 - 60
Canada		
Name	CAS number	%
LZ8420	Trade Secret	30 - 60

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Section 4. First aid measures

Eye contact	: Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur.
Skin contact	 After contact with skin, wash immediately with plenty of soap and water. Get medical attention if symptoms occur.
Inhalation	: Move exposed person to fresh air.
Ingestion	: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
Protection of first-aiders	: Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
Notes to physician	 No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Section 5. Fire-fighting measures

Flammability of the product Extinguishing media	: No specific fire or explosion hazard.
Suitable	: Use an extinguishing agent suitable for the surrounding fire.
Not suitable	: None known.
Hazardous decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions Environmental precautions	Put on appropriate personal protective equipment (see Section 8). Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods for cleaning up		
Small spill	sorb with an inert dry material and place in an appropriate waste pose of via a licensed waste disposal contractor.	disposal container.
Large spill	vent entry into sewers, water courses, basements or confined ar an effluent treatment plant or proceed as follows. Contain and o -combustible, absorbent material e.g. sand, earth, vermiculite or place in container for disposal according to local regulations (se pose of via a licensed waste disposal contractor. Contaminated y pose the same hazard as the spilled product. Note: see section tact information and section 13 for waste disposal.	collect spillage with diatomaceous earth e section 13). absorbent material

Section 7. Handling and storage

Handling	: Put on appropriate personal protective equipment (see Section 8). Avoid contact with used product. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure during pregnancy. Do not get in eyes or on skin or clothing. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Empty containers retain product residue and can be hazardous. Do not reuse container.
Storage	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Under conditions which may generate mists, the following exposure limits are recommended: ACGIH TLV TWA: 5 mg/m³; STEL: 10 mg/m³.

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures	-	Personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
Engineering measures	:	No special ventilation requirements. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Hygiene measures	:	Ensure that eyewash stations and safety showers are close to the workstation location. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
Respiratory	-	Not required under normal conditions of use. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Ensure an MSHA/NIOSH-approved respirator or equivalent is used.
Hands	1	Use gloves appropriate for work or task being performed. Recommended: Natural rubber (latex).
Eyes	1	Safety eyewear should be used when there is a likelihood of exposure. Recommended: Safety glasses with side shields.
Skin	-	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. No special protective clothing is required. Recommended: Coveralls.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Section 9. Physical and chemical properties

Physical state	: Liquid. [Fluid.]	Odor	: Mild hydrocarbon.
Color	: Yellow.	рН	: Not available.
Flash point	: Open cup: 204°C (399.2°F) [Cleveland.]	Auto-ignition temperature	: Not available.
Flammable limits	: Not available.	Melting point/ Pour point	: -46°C (-50.8°F)
Boiling point	: Not available.	Vapor pressure	: Not available.
Relative density	: 0.8816	Vapor density	: Not available.
Volatility	: Not available.	Evaporation rate	: Not available.
Viscosity	: Kinematic: 0.147 cm²/s (14.7 cSt) (100°C) Kinematic: 0.854 cm²/s (85.4 cSt) (40°C)	Solubility	: Not available.

Section 10. Stability and reactivity

Chemical stability	: The product is stable.
Conditions to avoid	: No specific data.
Materials to avoid	: Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous polymerization	: Under normal conditions of storage and use, hazardous polymerization will not occur.

Section 11. Toxicological information

Acute toxicity	: No specific data.
Chronic toxicity	: No specific data.

Section 12. Ecological information

Environmental effects : Not established

Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT/TDG/IMDG/IATA

: Not regulated.

Section 15. Regulatory information

United States	
HCS Classification	: Se
U.S. Federal regulations	: Ur

- : Sensitizing material
- : United States inventory (TSCA 8b): Not determined.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: No products were found. SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found.

Clean Air Act (CAA) 112 accidental release prevention: No products were found.

Massachusetts	: None of the components are listed.		
New York	None of the components are listed.		
New Jersey	: None of the components are listed.		
Pennsylvania	: None of the components are listed.		
<u>California Prop. 65</u>			
No products were found.			
<u>Canada</u>			
WHMIS (Canada)	: Class D-2B: Material causing other toxic effects (Toxic).		
Canadian lists	 CEPA Toxic substances: None of the components are listed. Canadian ARET: None of the components are listed. Canadian NPRI: None of the components are listed. Alberta Designated Substances: None of the components are listed. Ontario Designated Substances: None of the components are listed. Quebec Designated Substances: None of the components are listed. 		
Canada inventory	: Not determined.		


and the MSDS contains all the information required by the Controlled Products Regulations.

International regulations

International lists	: Australia inventory (AICS): Not determined.
	China inventory (IECSC): Not determined.
	Japan inventory: Not determined.
	Korea inventory: Not determined.
	New Zealand Inventory of Chemicals (NZIoC): Not determined.
	Philippines inventory (PICCS): Not determined.

Section 16. Other information

United States			
Label requirements	: MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE EYE AND SKIN IRRITATION. POSSIBLE DEVELOPMENTAL HAZARD - CONTAINS MATERIAL WHICH MAY CAUSE ADVERSE DEVELOPMENTAL EFFECTS, BASED ON ANIMAL DATA.		
Hazardous Material Information System (U.S.A.)	:		
	Health	1	Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although LMIS® rating are an experience of the second action of the second scale of the second
	Flammability	1	 Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint &
	Physical hazards	0	
			The customer is responsible for determining the PPE code for this material.



Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.